# THE UNIVERSITY OF KANSAS HOSPITAL

# Diagnostic Imaging Services

# **Why Choose Our Radiology Department?**

- 11 Convenient Locations to Serve You
- Leading Edge Technologies
- Dedicated, Licensed Technologists
- **Dedicated Radiologists**



**Scheduling:** 913-588-6804 **Scheduling Fax:** 913-588-7872

	**:	**Plea	se verify the location of your schedule	ed appo	ointment****	
Patient:			MR #:		Ordering physician:	
DOB:		Insurance:			Office Phone:	
Phone (home/cell):					Attending Phys:	
(Work):			r -		Office phone:	
			- (-)		once phote.	
teas	on(s) for exam:		Creatin	ine (CT	' / MRI / IVP only). Date:	
7.11			Phone:			
ali r Vou	report:ld you like for us to contact patient	t to sch	Pnone: edule YES or NO Appointment Date/Time:	Arte	r nrs pnone:	
vou	id you like for us to contact patient	it to sen	educ 1230/ NO Appointment Date/ Time.	•		
GE	NERAL RADIOLOGY	SON	NO/ULTRASOUND	M	RI	
	CHEST		ABDOMEN		HEAD W/ CONTRAST W/O CONTRAST	
	ABDOMEN/KUB		GALLBLADDER		ORBITS W/ CONTRAST W/O CONTRAST W/O CONTRAST W/O CONTRAST W/O CONTRACT	
	SKULL		DOPPLER - CIRCLE ONE		NECK W/ CONTRAST W/O CONTRAST W/O CONTRAST W/O CONTRACT	_ BOTH
	MANDIBLE		(LIVER, SMA, RENAL, AORTA/ ILIAC) PELVIS TRANSVAGINAL (IF NEEDED)		CHEST W/ CONTRAST W/O CONTRAST _ BREAST RT LT BILAT	BOTH
	PANOREX		OBSTETRICAL		BREAST BIOPSY RT LT BILAT	
	SINUSES		KIDNEYS		CARDIAC W/ CONTRAST W/O CONTRAST	ВОТН
	RIBS RT LT BILAT		KIDNEYS W/ DOPPLER		SPINE C - T - L - SC	_ 50111
	SPINE C T L SC		SCROTUM		W/ CONTRAST W/O CONTRAST BOTH	
	SCOLIOSIS AP LAT		THYROID		ABDOMEN W/ CONTRAST W/O CONTRAST _	
	SCOLIOSIS SURVEY		PARATHYROID		PELVIS W/ CONTRAST W/O CONTRAST	BOTI
	PELVIS PELVIS W/ LAT HIP BILAT		HEAD/NECK		MRCP UPPER EXT RT LT BILAT	
	HIP RT LT BILAT		EXTREMITY RT LT BILAT		W/ CONTRAST W/O CONTRAST BOTH	
	BONE AGE		LOWER EXT COLOR DOPPLER ARTERY RT LT BILAT LOWER EXT COLOR DOPPLER VENOUS RT LT BILAT		LOWER EXT RT LT BILAT	
	METASTATIC SURVEY		UPPER EXT COLOR DOPPLER ARTERY RT LT BILAT	_	W/ CONTRAST W/O CONTRAST BOTH	
	UPPER EXT RT LT BILAT		UPPER EXT COLOR DOPPLER VENOUS RT LT BILAT		UPPER EXT JOINT RT LT BILAT	
	(SITE)		DOPPLER CAROTID		W/ CONTRAST W/O CONTRAST BOTH	
	LOWER EXT RT LT BILAT		DOPPLER EXTRACRANIAL		LOWER EXT JOINT RT LT BILAT	
	(SITE)		OTHER		W/ CONTRAST W/O CONTRAST BOTH	
	VOIDING CYSTOGRAM				MRA HEAD W/O CONTRAST MRA ABDOMEN W/ CONTRAST	
	IVP				MRA PELVIS W/ CONTRAST	
	HYSTEROSALPINOGRAM	NU	CLEAR MEDICINE		MRA UPPER EXT W/ CONTRAST RT LT BILAT	
	BARIUM ENEMA		THYROID UPTAKE		MRA LOWER EXT W/ CONTRAST RT LT BILAT	
	- SINGLE OR DOUBLE CONTRAST		THYROID SCAN		SPECTROSCOPY	
	UGI		THYROID CANCER RX		OTHER:	
	UGI W/ SMALL BOWEL		THYROID HYPERTHYROID RX			
	ESOPHAGUS		BRAIN SPECT PARATHYROID SCAN			
	SMALL BOWEL SERIES		RENAL FUNCTION W/ LASIX	CT		
	SWALLOW MOTION SERIES		RENAL FUNCTION W/ ACE		MAXIFACIAL/ORBITS	
	ARTHROGRAM RT LT BILAT		VO LUNG SCAN	_	W/ CONTRAST W/O CONTRAST BOTH	
	(SITE)		RVG (MUGA)		HEADW/ CONTRAST W/O CONTRAST NECK W/ CONTRAST W/O CONTRAST	
	OTHER		LIVER/ SPLEEN SCAN		NECK W/ CONTRAST W/O CONTRAST CHEST W/ CONTRAST W/O CONTRAST	BOTH
			HEPATOBILIARY SCAN W/ CCK		ABDOMEN W/ CONTRAST W/O CONTRAST _	BOTH
			3 PHASE BONE SCAN		PELVIS W/ CONTRAST W/O CONTRAST _	
DDI	FACT IMACING		WHOLE BODY BONE SCAN		UPPER EXT W/ CONTRAST W/O CONTRAST	BOTH
	EAST IMAGING		BONE SPECT		LOWER EXTW/ CONTRASTW/O CONTRAST _	
	SCREENING		WBC IMAGING MIBG/ OCTREOTIDE/ PROSTASCINT/		CALCIUM SCORING	
	DIAGNOSTIC RT LT BILAT		GALLIUM WB SCAN (CIRCLE ONE)		CTA HEAD	
	EXTRA MAMMOGRAPHY VIEWS		OTHER		CTA CHEST	
	(IF INDICATED)	_	OTTEX.		CTA ABDOMEN	
	BREAST ULTRASOUND (IF INDICATED)				CTA PELVIS	
	BREAST - SONO RT LT BILAT	PET	/CT		CTA UPPER EXT	
	BREAST BIOSPY STEREO		PET BRAIN METABOLISM/PERFUSION		CTA LOWER EXT 3D RECONSTRUCTION	
	OR SONOGRAPHY		PET HEART METABOLISM/ PERFUSION		OTHER:	
			PET TUMOR METABOLISM			
DOINE DENOIT I/DEAT		CT II	CT IN COMBINATION W/PET TUMOR METABOLISM ONLY  Signature:			
	BONE DENSITY		CT HEAD W/ CONTRAST W/O CONTRAST	BOTH		
			CT NECK W/ CONTRAST W/O CONTRAST		Print Name:	
			CT CHEST W/ CONTRAST W/O CONTRAST _	BOTH		
			CT ABDOMEN W/ CONTRAST W/O CONTRAST _		Data	
			CT PELVIS W/ CONTRAST W/O CONTRAST _	BOTE	Date:	

#### Colon Study/Barium Enema

\* There is no preparation for a defacography exam

#### Purchase: (no prescription is required)

- Miralax Powder, 238 grams (Largest container)
- 64oz of Gatorade (must be clear and not purple/red, other colors are okay)
- 10oz bottle of Magnesium Citrate (do not take if you have renal failure)
- Ducolax laxative tablets (you'll take 4 tablets)

#### The day before the exam:

Breakfast: Clear Liquid Diet, with no sugar or dairy product, black coffee.

Noon: Light lunch of clear soup, unsweetened clear fruit juices (no red or purple drinks), or plain tea. NO MILK OR CREAM. Do NOT eat Jell-O.

Dinner: Clear liquid diet, unsweetened clear fruit juices (no red or purple drinks), or plain tea. NO MILK OR CREAM. Do NOT eat Jell-O.

\*DO NOT eat solid or creamed food the day before your exam.

- 1:00 P.M.: Drink the full bottle of Magnesium Citrate (cold)
- 4:00 P.M.: Take all 4 Dulcolax tablets by mouth
- 6:00 P.M.: Mix all of the MiraLax powder with the Gatorade. Start drinking this fluid and finish it within 2 hours.

DO NOT eat or drink anything by mouth 8 hours prior to the exam. (You may take necessary medications the morning of your procedure).

If you have severe DIARRHEA or considerable RECTAL BLEEDING, consult your physician before taking the laxatives requested. Under special circumstances, the patient's physician may change or omit the preparatory laxative.

## Intravenous Pyelogram (IVP) or Excretory Urogram

#### Purchase: (no prescription is required)

- 10oz bottle of Magnesium Citrate (do not take if you have renal failure)
- Ducolax laxative tablets (you'll take 4 tablets)

# The day before the exam:

Breakfast: Clear Liquid Diet, with no sugar or dairy product, black coffee.

Lunch: Light lunch of clear soup, unsweetened clear fruit juices (no red or purple drinks), or plain tea. NO MILK OR CREAM. Do NOT eat Jell-O.

Dinner: Clear liquid diet, unsweetened clear fruit juices (no red or purple drinks), or plain tea. NO MILK OR CREAM. Do NOT eat Jell-O.

\*DO NOT eat solid or creamed food the day before your exam.

- 5:30 P.M.: Drink the full bottle of Magnesium Citrate (cold)
- 7:30 P.M.: Take all 4 Dulcolax tablets by mouth

DO NOT eat or drink anything by mouth 8 hours prior to the exam. (You may take necessary medications the morning of your procedure)

If you have severe DIARRHEA or considerable RECTAL BLEEDING, consult your physician before taking the laxatives requested. Under special circumstances, the patient's physician may change or omit the preparatory laxative.

# 48 hours after your exam:

• Do not take diabetes medications (ie. metformin). 3 days after your exam you may resume taking your medication as directed by your doctor.

# Upper Gastrointestinal (UGI)

DO NOT eat or drink anything 8 hours prior to the exam.

# **Small Bowel Series**

DO NOT eat or drink 8 hours prior to the exam.

### Esophogram (Barium Swallow)

DO NOT eat or drink anything by mouth 3-4 hours prior to the exam.

### CT Abdomen and Pelvis Including CT with PET Scan

DO NOT eat or drink anything by mouth 4 hours prior to the exam. If medication is needed, only drink a small amount of water.

#### 48 hours after your exam:

• Do not take diabetes medications (ie. metformin). 3 days after your exam you may resume taking your medication as directed by your doctor.

# Sonography Prep-Abdomen, Abdomen/Retroperitoneal/Pelvis Doppler/AO/IVC/Illiac Doppler/Renal Doppler

DO NOT eat 6-8 hours before the exam. One hour before the exam, drink 32 oz. of water. DO NOT empty your bladder until approved by the Sonographer.

# Sonography OB/Pelvis

One hour before the appointment, drink 32 oz. of water. DO NOT empty your bladder until approved by the Sonographer.

#### Nuclear Medicine

Please call 913-588-6839.

If you do not find your test preparation listed above or to cancel or reschedule your appointment, please call (913) 588-6804.

<sup>\*</sup>Continue to drinks lots of clear liquids prior to your exam. 8oz of water every hour is recommended.

<sup>\*</sup>Continue to drinks <u>lots</u> of clear liquids prior to your exam. 8oz of water every hour is recommended.